UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,467	11/14/2003	Kevin D. Jorczak	7690-0001	2499
	7590 01/08/200 N, COHN, FERRIS, G	EXAMINER		
1400 PAGE MILL ROAD			LOPEZ, AMADEUS SEBASTIAN	
PALO ALTO,	CA 94304-1124		. ART UNIT	PAPER NUMBER
• .	•		3771	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
30 D	DAYS	01/08/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)	
10/714,467	JORCZAK ET AL.	
Examiner	Art Unit	
Amadeus S. Lopez	3771	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on 10/23/2006 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
 2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. B. Other
 3. Amendments to the drawings: A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d). B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. C. Other
 4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). D. The claims of this amendment paper have not been presented in ascending numerical order. E. Other:
5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:
1. Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendratile after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the

TIM

- ent entire corrected amendment must be resubmitted.
- 2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1. to 4. are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.

Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.

Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

Legal Instruments Examiner (LIE), if applicable INER, YU

Part of Paper No. 020061230

U.S. Patent and Trademark Office

SUPERVISORY PATENT EXAMINER **TECHNOLOGY CENTER 3700**

Art Unit: 3771

Response to Amendment

The amendments made to the claim are considered non-compliant because the applicant failed to update the claims with the proper status identifier. The examiner believes that the applicant inadvertently has several of the claims dependent upon "claim 0" when in fact there is no claim present. Please resubmit updated claims with the proper claim dependency.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amadeus S. Lopez whose telephone number is (571) 272-7937. The examiner can normally be reached on Mon-Fri 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Amadeus S Lopez

Examiner

Art Unit 3771 December 30, 2006

ASL

JUSTINE R. YU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

1/3/06